

Scan Based Trading (SBT) Program, 879 Pricing Information

ANSI X12-4010

Supplier Implementation Guide

Document Version 1.1

May 2023

879 Price Information

Functional Group ID=QG

Introduction:

This Draft Standard for Trial Use contains the format and establishes the data contents of the Price Information Transaction Set (879) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used to enable a manufacturer, supplier, broker, or agent to provide a trading partner with pricing information.

Heading:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
M	010	ST	Transaction Set Header	M	1		
M	020	G91	Price Change Status	M	1		
						LOOP ID - 0100	999
M	040	N1	Name	M	1		
						LOOP ID - 0100	999
M	040	N1	Name	M	1		
	140	G43	Promotion/Price List Area	O	9999		
M	160	G62	Date/Time	M	10		

Detail:

	<u>Pos. No.</u>	<u>Seg. ID</u>	<u>Name</u>	<u>Req. Des.</u>	<u>Max.Use</u>	<u>Loop Repeat</u>	<u>Notes and Comments</u>
						LOOP ID - 0200	9999
M	020	G28	Line Item Numbers	M	1		
	045	G43	Promotion/Price List Area	O	9999		
	055	G62	Date/Time	O	4		
						LOOP ID - 0210	100
	065	G40	Bracket Price	O	1		
M	070	SE	Transaction Set Trailer	M	1		

Segment: **ST** Transaction Set Header
Position: 010
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To indicate the start of a transaction set and to assign a control number
Syntax Notes:
Semantic Notes: 1 The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
Comments:

Data Element Summary

	Ref.	Data	Name	Attributes
	Des.	Element		
M	ST01	143	Transaction Set Identifier Code Code uniquely identifying a Transaction Set	M ID 3/3
M	ST02	329	Transaction Set Control Number Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	M AN 4/9

Segment: **G91** Price Change Status
Position: 020
Loop:
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To enable the supplier/broker to change pricing information
Syntax Notes:
Semantic Notes:
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
M	G9101	259	Change Type Code	M ID 1/1
			Code indicating change type	
			W = New	

Segment: **N1** Name
Position: 040
Loop: 0100 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:
Comments:

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

Ref.	Data Element	Name	Attributes
M	N101	Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual BY = Buying Party (Purchaser)	
	N102	Name	X AN 1/60
		Free-form name Buying Party / Retailer = "CVS CORP"	
	N103	Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67) 1 = DUNS Number, Dun & Bradstreet	
	N104	Identification Code	X AN 2/80
		Code identifying a party or other code CVS DUNS Number= 001786664	

Segment: **N1** Name
Position: 040
Loop: 0100 Mandatory
Level: Heading
Usage: Mandatory
Max Use: 1
Purpose: To identify a party by type of organization, name, and code
Syntax Notes:

- 1 At least one of N102 or N103 is required.
- 2 If either N103 or N104 is present, then the other is required.

Semantic Notes:
Comments:

- 1 This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2 N105 and N106 further define the type of entity in N101.

Data Element Summary

Ref.	Data	Name	Attributes
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	N101	98 Entity Identifier Code	M ID 2/3
		Code identifying an organizational entity, a physical location, property or an individual VN = Vendor	
	N102	93 Name	X AN 1/60
		Free-form name Supplier Name/ Information	
	N103	66 Identification Code Qualifier	X ID 1/2
		Code designating the system/method of code structure used for Identification Code (67) ZZ = Mutually Defined	
	N104	67 Identification Code	X AN 2/80
		Code identifying a party or other code CVS Vendor Number (Example: 2A123)	

Segment: **G43** Promotion/Price List Area
Position: 140
Loop:
Level: Heading
Usage: Optional
Max Use: 9999
Purpose: To specify the geographic area in which a promotion or price is in effect
Syntax Notes:
Semantic Notes: 1 If G4301 is "001", "002", or "004", then G4302 is required. If G4301 is "003", then G4303 is required.
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
M	G4301	771	Market Area Code Qualifier	M ID 1/3
			Code qualifying the identifier represented in "Market Area Code Identifier (767)"	
			001 = Pricing Market (Area/Regular)	
	G4302	767	Market Area Code Identifier	O AN 1/12
			A unique identification of a market area	
			CVS Cost Zone	

Segment: **G62** Date/Time
Position: 160
Loop:
Level: Heading
Usage: Mandatory
Max Use: 10
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref. Des.</u>	<u>Data Element</u>	<u>Name</u>	<u>Attributes</u>
G6201	432	Date Qualifier	X ID 2/2
		Code specifying type of date	
		09 = Process Date	
G6202	373	Date	X DT 8/8
		Date expressed as CCYYMMDD	
		Process Date (YYYYMMDD)	

Segment: **G28** Line Item Numbers
Position: 020
Loop: 0200 Mandatory
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To provide basic product identification information
Syntax Notes:

- 1 At least one of G2801 G2802 or G2803 is required.
- 2 If either G2803 or G2804 is present, then the other is required.
- 3 If either G2805 or G2806 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
<u>Des.</u>	<u>Element</u>		
G2803	235	Product/Service ID Qualifier	X ID 2/2
		Code identifying the type/source of the descriptive number used in Product/Service ID (234)	
		VN = Vendor's (Seller's) Item Number	
G2804	234	Product/Service ID	X AN 1/48
		Identifying number for a product or service	
		Vendor's (Seller's) Item Number	

Segment: **G43** Promotion/Price List Area
Position: 045
Loop: 0200 Mandatory
Level: Detail
Usage: Optional
Max Use: 9999
Purpose: To specify the geographic area in which a promotion or price is in effect
Syntax Notes:
Semantic Notes: 1 If G4301 is "001", "002", or "004", then G4302 is required. If G4301 is "003", then G4303 is required.
Comments:

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
M	G4301	771	Market Area Code Qualifier	M ID 1/3
			Code qualifying the identifier represented in "Market Area Code Identifier (767)"	
			001 = Pricing Market (Area/Regular)	
			002 = Store	
	G4302	767	Market Area Code Identifier	O AN 1/12
			A unique identification of a market area	
			CVS Market Zone ID (Confirm proper verbiage)	

Segment: **G62** Date/Time
Position: 055
Loop: 0200 Mandatory
Level: Detail
Usage: Optional
Max Use: 4
Purpose: To specify pertinent dates and times
Syntax Notes:

- 1 At least one of G6201 or G6203 is required.
- 2 If either G6201 or G6202 is present, then the other is required.
- 3 If either G6203 or G6204 is present, then the other is required.

Semantic Notes:
Comments:

Data Element Summary

<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
G6201	432	Date Qualifier Code specifying type of date 07 = Effective Date	X ID 2/2
G6202	373	Date Date expressed as CCYYMMDD Promotion Effective Date	X DT 8/8

Segment: **G40** Bracket Price
Position: 065
Loop: 0210 Optional
Level: Detail
Usage: Optional
Max Use: 1
Purpose: To provide a vendor's pricing structure associated with a specific line item
Syntax Notes:
Semantic Notes: 1 G4009 is the shipping unit to billing unit conversion factor.
Comments: 1 G4007 is the invoicing unit of measure for the costs specified in G4002 and G4003.

Data Element Summary

Ref.	Data		
<u>Des.</u>	<u>Element</u>	<u>Name</u>	<u>Attributes</u>
M	G4002	418	Item List Cost - New Unit price within the appropriate price bracket for a line item on or after an effective price date Unit Cost M R 1/9
	G4005	420	Price New, Suggested Retail The consumer package price or retail unit price associated with the product applicable on or after an effective price date Retail Amount O N2 2/7

Segment: **SE** Transaction Set Trailer
Position: 070
Loop:
Level: Detail
Usage: Mandatory
Max Use: 1
Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)
Syntax Notes:
Semantic Notes:
Comments: 1 SE is the last segment of each transaction set.

Data Element Summary

	<u>Ref.</u>	<u>Data</u>	<u>Name</u>	<u>Attributes</u>
	<u>Des.</u>	<u>Element</u>		
M	SE01	96	Number of Included Segments	M N0 1/10
			Total number of segments included in a transaction set including ST and SE segments	
M	SE02	329	Transaction Set Control Number	M AN 4/9
			Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set	

Example:

ISA*00**00**01*SENDERID*ZZ*RECEIVERID*220909*0745*U*00401*000001038*0*P*^~
GS*QG* SENDERID* RECEIVERID*20220909*0745*1038*X*004010~
ST*879*0001~
G91*W~
N1*BY*CVS CORP*1*001786664~
N1*VN*Cool Vendor*ZZ*2A123~
G43*001*CVS CORP~
G62*09*20221022~
G28***VN*495396~
G43*001*000001~
G62*07*20221022~
G40**17.493***2499~
SE*11*0001~
GE*1*1038~
IEA*1*000001038~